AMENDMENTS TO THE CLAIMS:

This listing of the claims will replace all prior listings and versions of claims in the application.

CLAIMS:

1-100 (canceled)

- 101. (currently amended) A kit set of reagents, comprising:
 - a) a <u>thermostable</u> cleavage agent;
- b) a first oligonucleotide comprising: i) a charged adduct, and ii) a portion completely complementary to a first region of a target nucleic acid; and
 - c) a second oligonucleotide comprising a 3' portion and a 5' portion, said 5' portion completely complementary to a second region of said target nucleic acid downstream of and contiguous to said first portion region.
- 102. (currently amended) The kit set of reagents of Claim 101, wherein said 3' portion of said second oligonucleotide comprises a 3' terminal nucleotide not complementary to said target nucleic acid.
- 103. (currently amended) The kit set of reagents of Claim 101, wherein said 3' portion of said second oligonucleotide consists of a single nucleotide not complementary to said target nucleic acid.
- 104. (currently amended) The kit set of reagents of Claim 101, wherein said kit further comprises a solid support.
- 105. (currently amended) The kit set of reagents of Claim 104, wherein said first oligonucleotide is attached to said solid support.
- 106. (currently amended) The kit set of reagents of Claim 104, wherein said second oligonucleotide is attached to said solid support.
- 107. (currently amended) The <u>kit_set of reagents</u> of Claim 101, wherein said cleavage agent comprises a structure-specific nuclease.
 - 108. (canceled)

109. (currently amended) The kit set of reagents of Claim 101, wherein said cleavage agent comprises a 5' nuclease.

110. (canceled)

- 111. (currently amended) The kit set of reagents of Claim 109, wherein a portion of the amino acid sequence of said nuclease is homologous to a portion of the amino acid sequence of a thermostable DNA polymerase derived from a thermophilic organism.
- 112. (currently amended) The kit set of reagents of Claim 101, further comprising a buffer solution.
- 113. (currently amended) The kit set of reagents of Claim 101, further comprising providing a third oligonucleotide complementary to a third portion region of said target nucleic acid upstream of said first portion region of said first target nucleic acid.
- 114. (currently amended) The kit set of reagents of Claim 101, further comprising said target nucleic acid.
- 115. (currently amended) The kit set of reagents of Claim 101, further comprising a second target nucleic acid.
- 116. (currently amended) The kit set of reagents of Claim 101, wherein said charged adduct comprises a linker.
- 117. (currently amended) The kit set of reagents of Claim 101, wherein said charged adduct comprises a detectable molecule.
- 118. (currently amended) The kit set of reagents of Claim 117, wherein said detectable molecule is Cy3, Cy5, a fluorescent dye, ethidium bromide, (1,3-propanediamino)-propidium, (diethylenetriamino)-propidium, thiazole orange, (N-N'-tetramethyl-1,2-ethanediamino)-proply thiazole orange, (N-N'-tetramethyl-1,3-propanediamino)-proply thiazole orange, TOTAB, TOTO, EthD, TOED1, TOED2, or FED.
- 119. (currently amended) The kit set of reagents of Claim 117, wherein said detectable molecule comprises fluorescein.

- 120. (currently amended) The kit set of reagents of Claim 101, wherein said charged adduct comprises at least one amino acid.
- 121. (currently amended) The kit set of reagents of Claim 120, wherein said at least one amino acid is lysine, arginine, aspartate, or glutamate.
- 122. (currently amended) The kit set of reagents of Claim 101, wherein said charged adduct comprises at least one amino-modified base.
- 123. (currently amended) The kit set of reagents of Claim 101, wherein said charged adduct is located at the 5' end of said first oligonucleotide.
- 124. (currently amended) The kit set of reagents of Claim 101, wherein said first oligonucleotide comprises an uncleavable region.
- 125. (currently amended) The kit set of reagents of Claim 124, wherein said charged adduct is attached to said uncleavable region of said first oligonucleotide.